



GENERAL TOLERANCE'S FOR DIMENSIONS AND FORM POSITION (Ref. ISO 2768 sk)

	DEVIATIONS FOR LINEAR DIMENSIONS								DEVIATIONS FOR ANGULAR DIMENSIONS				
	RANGE OF NOMINAL DIEMENSIONS				RANGE OF NOMINAL DIEMENSIONS				RANGE OF NOMINAL DIEMENSIONS				
ABOVE	0.5	3	6	30	120	315	1000	2000	ABOVE	-	10	50	120
UPTO	3	6	30	120	315	1000	2000	4000	UPTO	10	50	120	-
TOL.	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	TOL.	±1°	±30'	±20'	±10'

DEVIATIONS FOR RADI AND CHAMFERS
RANGE OF NOMINAL DIMENSIONS

	RANGE OF NOMINAL DIMENSIONS					
	ABOVE	10	30	100	300	1000
UPTO	10	30	100	300	1000	3000
TOL.	±0.2	±0.5	±1	±2	±3	±5

DEVIATIONS FOR GEOMETRY

	RANGE OF NOMINAL DIMENSIONS					
	ABOVE	10	30	100	300	1000
UPTO	10	30	100	300	1000	3000
TOL.	±0.05	±0.1	±0.2	±0.4	±0.6	±0.8

NAME DATE

DRAWN		DATE	
CHK'D			
APPV'D			

TUFF PLAST PUNE PVT. LTD.

DATE		REVISION	
MODEL NAME			
12L PRT			
DWG NO./PART NO.			
L-012-B-PRT-H-19.22			
SHEET 1 OF 1			

PROPRIETARY & CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
TUFFPLAST ANY REPRODUCTION IN PART IS
PROHIBITED.

MATERIAL:
WEIGHT: Gram
DO NOT SCALE

A4