



GENERAL TOLERANCE'S FOR DIMENSIONS AND FORM POSITION (Ref. ISO 2768 sk)

	DEVIATIONS FOR LINEAR DIMENSIONS				DEVIATIONS FOR ANGULAR DIMENSIONS								
	RANGE OF NOMINAL DIEMENSIONS				RANGE OF NOMINAL DIEMENSIONS								
ABOVE	0.5	3	6	30	120	315	1000	2000	ABOVE	-	10	50	120
UPTO	3	6	30	120	315	1000	2000	4000	UPTO	10	50	120	-
TOL.	$\pm 0.1$	$\pm 0.1$	$\pm 0.2$	$\pm 0.3$	$\pm 0.5$	$\pm 0.8$	$\pm 1.2$	$\pm 2$	TOL.	$\pm 1^\circ$	$\pm 30'$	$\pm 20'$	$\pm 10'$

DEVIATIONS FOR RADI AND CHAMFERS  
RANGE OF NOMINAL DIMENSIONS

	RANGE OF NOMINAL DIMENSIONS			
	ABOVE	10	30	100
UPTO	10	30	100	300
TOL.	$\pm 0.2$	$\pm 0.5$	$\pm 1$	$\pm 2$

DEVIATIONS FOR GEOMETRY

	RANGE OF NOMINAL DIMENSIONS					
	ABOVE	10	30	100	300	1000
UPTO	10	30	100	300	1000	
TOL.	0.4	0.4	0.4	0.6	0.8	

NAME	DATE
DRAWN MANOJ	19/3/22
CHK'D MILLIND	19/3/22
APPVD KARVE	19/3/22

TUFF PLAST PUNE PVT. LTD.

DATE	REVISION

MODEL NAME  
16L with insert

DWG NO./PART NO.  
L-016-B-PRT-H-19.22

MATERIAL:  
WEIGHT: Gram  
**DO NOT SCALE**

PROPRIETARY & CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TUFFPLAST ANY REPRODUCTION IN PART IS PROHIBITED.

A4

SHEET 1 OF 1