


SECTION Y-Y



GENERAL TOLERANCE'S FOR DIMENSIONS AND FORM POSITION (Ref. ISO 2768 sk)

	DEVIATIONS FOR LINEAR DIMENSIONS					DEVIATIONS FOR ANGULAR DIMENSIONS				
	RANGE OF NOMINAL DIEMENSIONS					RANGE OF NOMINAL DIEMENSIONS				
ABOVE	0.5	3	6	30	120	ABOVE	-	10	50	120
UPTO	3	6	30	120	315	UPTO	10	50	120	-
TOL.	±0.1	±0.1	±0.2	±0.3	±0.5	TOL.	±1°	±30'	±20'	±10'

DEVIATIONS FOR RADI AND CHAMFERS  
RANGE OF NOMINAL DIMENSIONS

	0.5	3	6	30
TOL.	±0.2	±0.5	±1	±2

DEVIATIONS FOR GEOMETRY

	ABOVE	10	30	100	300	1000
—	0.05	0.1	0.2	0.4	0.6	0.8
≡	0.4	0.4	0.4	0.6	0.8	1
↗	0.2	0.2	0.2	0.2	0.2	0.2

		NAME	DATE
DRAWN	MANOJ		25/3/22
CHK'D	MILLIND		25/3/22
APP'VD	KARVE		25/3/22
MATERIAL:			
WEIGHT: Gram			
DO NOT SCALE			

TUFF PLAST PUNE PVT. LTD.

DATE	REVISION
MODEL NAME	
22L pulley-insert	
DWG NO./PART NO.	
L-022-B-PRT-H-25.22	
SHEET 1 OF 1	

A4