





CREATED DATE 19/7/21



SECTION A-A

GENERAL TOLERANCE'S FOR DIMENSIONS AND FORM POSITION (Ref. ISO 2768 sk)

	DEVIATIONS FOR LINEAR DIMENSIONS				DEVIATIONS FOR ANGULAR DIMENSIONS								
	RANGE OF NOMINAL DIEMENSIONS				RANGE OF NOMINAL DIEMENSIONS								
ABOVE	0.5	3	6	30	120	315	1000	2000	ABOVE	-	10	50	120
UPTO	3	6	30	120	315	1000	2000	4000	UPTO	10	50	120	-
TOL.	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	TOL.	±1°	±30'	±20'	±10'

DEVIATIONS FOR RADI AND CHAMFERS

	RANGE OF NOMINAL DIMENSIONS					
	ABOVE	10	30	100	300	1000
UPTO	10	30	100	300	1000	3000
TOL.	±0.2	±0.5	±1	±2		

DEVIATIONS FOR GEOMETRY

	RANGE OF NOMINAL DIMENSIONS					
	ABOVE	10	30	100	300	1000
UPTO	10	30	100	300	1000	3000
TOL.	0.4	0.4	0.4	0.6	0.8	1

NAME	DATE
DRAWN MANOJ	19/7/21
CHK'D MILLIND	19/7/21
APP'VD KARVE	19/7/21

TUFF PLAST PUNE PVT. LTD.		
DATE	REVISION	
MODEL NAME		
32XL pulley-insert		
DWG NO./PART NO.		
XL-032-B-PRT-H-07.21		
SHEET 1 OF 1		

PROPRIETARY & CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TUFFPLAST ANY REPRODUCTION IN PART IS PROHIBITED.

MATERIAL: ARNITE
WEIGHT: 36.95Gram
DO NOT SCALE

A4