

4

3

2

1

F

F

E

E

D

D

C



C

B


B

A

A



SECTION X-X



GENERAL TOLERANCES FOR DIMENSIONS AND FORM POSITION (Ref. ISO 2768 sk)

DEVIATIONS FOR LINEAR DIMENSIONS		DEVIATIONS FOR ANGULAR DIMENSIONS		DEVIATIONS FOR NOMINAL DIMENSIONS	
RANGE OF NOMINAL DIMENSIONS		RANGE OF NOMINAL DIMENSIONS		RANGE OF NOMINAL DIMENSIONS	
ABOVE	0.5 3 6 30 120 315 1000 2000	ABOVE	- 10 50 120	TOL	±0.2 ±0.5 ±1 ±2
LIPTO	3 6 30 120 315 1000 2000 4000	LIPTO	10 50 120 -	IF IN DOUBT, ASK	
TOL	±0.1 ±0.2 ±0.3 ±0.5 ±0.8 ±1.2 ±2	TOL	±1° ±30' ±20' ±10'		

DEVIATIONS FOR HOLE AND CHAMFER

RANGE OF NOMINAL DIMENSIONS		DEVIATIONS FOR GEOMETRY	
ABOVE	- 10 30 100 300 1000	LIPTO	10 30 100 300 1000 3000
LIPTO	3 6 30 120	LIPTO	0.05 0.1 0.2 0.4 0.8 1.6
TOL	±0.2 ±0.5 ±1 ±2	LIPTO	0.4 0.6 0.8 1.2 2.0
		LIPTO	0.2 0.2 0.2 0.2 0.2



MODEL NAME:- 64-8M PULLEY
DWG NO.-: 64-8M PULLEY

DATE	REVISION	SHEET 1 OF 1
PROPRIETARY & CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TUFFPLAST ANY REPRODUCTION IN PART IS PROHIBITED.		
DO NOT SCALE		

NAME	DATE
DRAWN MANOJ	1/6/22
CHK'D TUKARAM	3/6/22
APPV'D MILLIND	3/6/22
MATERIAL:	
Material <not specified>	
WEIGHT:	
209.28Gram	
A4	

4

3

2

1